



### Test Report

CUSTOMER:

ATTENTION: Mr Marcos García Martín

MICUNA S.L.U /  
C/ Albufera S/N  
46430 Sollana  
SPAIN

---

#### Conclusion:

<u>Tested Samples</u>	<u>Standard</u>	<u>Result</u>
OVO ORIGINAL MAX	ASTM F404-18a – High Chairs	Pass
PL - Ovo Luxe	16 CFR 1303 – Total Lead in Coatings	Pass
Toddler High-Chair (White)	CPSIA Section 101 – Total Lead in Substrates	Pass
	Washington / Maine – Phthalate	Pass
	California Prop. 65 – Lead and Cadmium	Complies <sup>1</sup>
	California Prop. 65 – Phthalates	Complies <sup>1</sup>
	CPSIA Section 103 – Tracking Label	Pass
	16 CFR 1130 – Consumer Registration Card	Pass
	21 CFR 177.1520 – FDA Extraction	Pass

SIGNED FOR THE COMPANY BY:

William M. Baumann  
Laboratory Director

The test results stated in this report relate only to the item(s) tested.  
Tests identified with an asterisk (+) have been subcontracted.  
Note 1: Based on safe levels established by products of a similar nature.

This report is issued by AM Testing & Services Inc. AM Testing & Services Inc.'s responsibility is limited to proven negligence and will in no case be more than the amount of the testing fees. Except by special arrangement, samples are not retained by AM Testing & Services Inc. for more than 30 days, and are the property of AM Testing & Services Inc. The results shown on this test report refer only to the sample(s) tested unless otherwise stated, under the conditions agreed upon. Anyone relying on this report should understand all of the details of the engagement. The name, seals, marks nor insignia of AM Testing & Services Inc. may not be used in any advertising or promotional materials without the prior written approval of AM Testing & Services Inc. The test report cannot be reproduced, except in full, without prior written permission of AM Testing & Services Inc.

#### AM Testing & Services

1405 Centre Circle Drive • Downers Grove, IL 60515 • Telephone: 708-907-5252 • AMTestinginc.com

Page 1 of 20

2/25/2021 Rev. 1 Reg Card



## Technical Report

**Sample ID:** OVO ORIGINAL MAX PL - Ovo Luxe  
Toddler High-Chair (White)

### Sample No.

- 1) Coating, clear coating on legs
- 2) Coating, white coating on legs
- 3) Coating, white coating on metal leg rods (NEW)
- 4) Substrate, plastic white round tray
- 5) Substrate, plastic white seat base
- 6) Substrate, plastic white crotch restraint
- 7) Substrate, plastic white buckles (New Style)
- 8) Substrate, light colored fake leather straps/belt
- 9) Substrate, sticker warning label - clear on foot base
- 10) Substrate, rubber feet of bottom of legs
- 11) Substrate, screws attaching crotch restraint to bottom of the seat
- 12) Substrate, screw for attaching leather straps to inside the chair
- 13) Substrate, metal rods connecting the legs (C11001) (NEW)
- 14) Substrate, metal screws to attach metal rod and legs (C011002)
- 15) Substrate, metal screw under high chair rail (C09568)
- 16) Substrate, large / small Allen wrenches (C07914) (C07506)
- 17) Substrate, black rubber O-rings spacer for leg rods (C11197) (NEW)
- 18) Substrate, plastic screws large and small (C09700) (C08959)
- 19) Substrate, metal staples on instructions
- 20) Substrate, metal thread stock for fixing metal rods and foot base (C04198)
- 21) Substrate metal bolt used to attach top rail to chair base (C07504)
- 22) Substrate, metal screw for affixing the tray to the chair (C08958)
- 23) Substrate, metal spacer used when no tray is attached (5028905)
- 24) Substrate, plastic piece on bottom of tray (locking device)

- Item 1: ASTM F404-18a – High Chairs
- Item 2: 16 CFR 1303 – Total Lead in Coatings
- Item 3: CPSIA Section 101 – Total Lead in Substrates
- Item 4: Washington / Maine – Phthalate
- Item 5: California Prop. 65 – Lead and Cadmium
- Item 6: California Prop. 65 – Phthalates
- Item 7: CPSIA Section 103 – Tracking Label

This report is issued by AM Testing & Services Inc. AM Testing & Services Inc.'s responsibility is limited to proven negligence and will in no case be more than the amount of the testing fees. Except by special arrangement, samples are not retained by AM Testing & Services Inc. for more than 30 days, and are the property of AM Testing & Services Inc. The results shown on this test report refer only to the sample(s) tested unless otherwise stated, under the conditions agreed upon. Anyone relying on this report should understand all of the details of the engagement. The name, seals, marks nor insignia of AM Testing & Services Inc. may not be used in any advertising or promotional materials without the prior written approval of AM Testing & Services Inc. The test report cannot be reproduced, except in full, without prior written permission of AM Testing & Services Inc.

### **AM Testing & Services**

1405 Centre Circle Drive • Downers Grove, IL 60515 • Telephone: 708-907-5252 • AMTestinginc.com



Item 8: 16 CFR 1130 – Consumer Registration Card

Item 9: 21 CFR 177.1520 – FDA Extraction

**Item 1:** Results for testing according to **ASTM F404-18a High Chairs** are listed below

		P = Pass	F = Fail	N/A = Not Applicable
<b>5.0</b>	<b>GENERAL REQUIREMENTS:</b>	<b>P</b>	<b>F</b>	<b>N/A</b>
5.1	Products sold as a high chair	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5.2	High chair conversion kits sold separately	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
5.3	Compliance When Used With Conversion Kits:			
5.3.1	Converted product complies with applicable standard	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
5.4	Accessories	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
5.5	Threaded Fasteners:			
5.5.1	Wood Screws and Sheet Metal Screws:			
5.5.1.1	Wood screws and sheet metal screws shall not be used by the manufacturer	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5.5.1.2	Used directly into wood components	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5.5.1.3	Factory assembly	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5.5.1.4	Metal inserts	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5.5.2	Metal threaded fasteners	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5.6	Sharp edges or points	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5.7	Small parts	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5.8	Exposed wood parts	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5.9	Latching or locking mechanisms	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5.10	Labeling:			
5.10.1	Warning labels are permanent	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5.10.2	Warning statements are permanent	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5.10.3	Non-paper labels and small parts	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5.11	Openings	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5.12	Toy components	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
5.13	Lead in paints and surface coatings	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5.14	CPSIA requirements	<input checked="" type="checkbox"/>	<input style="border: 1px solid red;" type="checkbox"/>	<input type="checkbox"/>
<b>6.0</b>	<b>PERFORMANCE REQUIREMENTS:</b>			
6.1	Protective components	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6.2	Removable tray or front torso support performance integrity	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
6.3	Tray or front torso support performance – pull test	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6.4	Static load	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6.5	Stability:			
6.5.1	High chairs and high chair accessories	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
6.5.2	Forward and Sideways Stability	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6.5.3	Rearward Stability	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

This report is issued by AM Testing & Services Inc. AM Testing & Services Inc.'s responsibility is limited to proven negligence and will in no case be more than the amount of the testing fees. Except by special arrangement, samples are not retained by AM Testing & Services Inc. for more than 30 days, and are the property of AM Testing & Services Inc. The results shown on this test report refer only to the sample(s) tested unless otherwise stated, under the conditions agreed upon. Anyone relying on this report should understand all of the details of the engagement. The name, seals, marks nor insignia of AM Testing & Services Inc. may not be used in any advertising or promotional materials without the prior written approval of AM Testing & Services Inc. The test report cannot be reproduced, except in full, without prior written permission of AM Testing & Services Inc.



6.5.4	Stability with Child Climbing into Chair	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6.6	Exposed coil springs	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
6.7	Scissoring, shearing, and pinching	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
6.8	Restraint System:			
6.8.1	Restraint system provided	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6.8.1.1	Includes waist and crotch restraint	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6.8.2	Restraint system and its closing	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6.8.3	The waist restraint shall be capable of adjustment	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6.8.4	A connecting means and adjustment means for the waist restrain	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6.8.5	The restraint system anchorages	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6.8.6	Restraint system attached before shipment	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6.9	Completely bounded openings forward	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6.9.1	Completely Bounded Leg Openings forward of the occupant that include a Passive Crotch Restraint:			
6.9.1.1	Passive crotch restraint	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6.9.1.2	No vertical gap	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6.9.1.3	Seat back distance	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6.9.1.4	Leg openings shall not allow complete passage of the wedge block	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6.9.1.5	Passive crotch restraining permanently attached to the high chair	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
(1)	Flexible passive crotch restraining shall be permanently attached to high chair	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
(2)	Crotch restraining sold separable shall be exempt from assembly requirements	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
(a)	Passive crotch must be assembled to the chair in order to attach a tray	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
(b)	Passive crotch must be assembled to the high chair to create completely bounded opening forward of the occupant	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
6.9.2	Completely bounded openings forward of the occupant that do not include a passive crotch restraint:			
6.9.2.1	Completely bounded openings between the tray and other structural elements	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
6.10	Structural Integrity:			
6.10.1	During and upon completion or the testing in accordance with 7.10, the high chair shall comply with all of the following:			
6.10.1.1	Change in height	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6.10.1.2	No breakage of any structural component	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6.10.1.3	Latching and locking devices	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
6.10.1.4	Angle of seat changes no more than 10°	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6.10.1.5	Fasteners/Key structural elements	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6.11	Tray Latch Release Mechanisms:			
6.11.1	Exemption from requirements	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
6.11.2	Tray latch release mechanisms on front of tray	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
6.11.2.1	Latch release surfaces inaccessible by foot	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
(1)	Bottom surface shall not contact latch release surface	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
(2)	If contactable, angle is 30° or greater	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

This report is issued by AM Testing & Services Inc. AM Testing & Services Inc.'s responsibility is limited to proven negligence and will in no case be more than the amount of the testing fees. Except by special arrangement, samples are not retained by AM Testing & Services Inc. for more than 30 days, and are the property of AM Testing & Services Inc. The results shown on this test report refer only to the sample(s) tested unless otherwise stated, under the conditions agreed upon. Anyone relying on this report should understand all of the details of the engagement. The name, seals, marks nor insignia of AM Testing & Services Inc. may not be used in any advertising or promotional materials without the prior written approval of AM Testing & Services Inc. The test report cannot be reproduced, except in full, without prior written permission of AM Testing & Services Inc.



6.11.2.2	Tray latch release mechanism	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
6.11.2.3	Double action release mechanism	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
6.11.3	Tray latch release mechanisms located at the side of a tray	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
6.11.3.1	Single action tray latch release mechanisms	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
6.11.3.2	Each tray latch release mechanism is double action	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
6.11.3.3	Two or more tray latch release mechanisms	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
6.11.3.4	Not visible to occupant	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
6.12	Side containment	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
6.13	Protrusions	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
6.13.1	Shall not undercut below top surface	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
6.13.2	Protrusion with an undercut below its top surface	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
6.13.2.1	Top corner of a protrusion shall not protrude further than the thickness of the ring gauge	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
6.13.2.2	Top corner of a protrusion shall not be contactable by the protrusion accessibility gauge	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<b>8.0</b>	<b>MARKING &amp; LABELING:</b>			
8.1	Retail package and product marking	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8.2	Permanency of the marking	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8.3	Upholstery label	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8.4	Warning statements in contrasting color, permanent, sans serif	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8.4.1	English warning statements	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8.4.2	Marking and labeling statements	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8.4.3	The warnings shall be permanent	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8.4.4	Warning shall conform to ANSI Z535.4	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8.4.5	Safety alert symbol	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8.4.6.1	Message panel text layout	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8.4.6.2	Warning statement text layout	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8.5	Warning Statements	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8.5.1	Visible when in manufacturer's recommended position	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8.5.1.1	That do not have a seating component:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	"FALL HAZARD"	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	"Always use restraints, and adjust to fit snugly"	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8.5.1.2	That have a seating component	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8.5.1.3	Designed to be used with a tray, additional warning:			
	Tray is not designed to hold child in chair.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8.5.2	High chairs shall address the warning(s) in this section and be conspicuous:			
8.5.2.1	Stay near and watch child during use.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8.5.2.2	Children unable to sit upright and weigh 20 lb. or less shall include the following:			
	Discontinue statement	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<b>9.0</b>	<b>INSTRUCTIONAL LITERATURE:</b>			
9.1	Instructions shall be provided	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
9.2	Warnings per 8.5.1.1 or 8.5.1.2	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
9.3	The instructions shall address the following additional warnings	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

This report is issued by AM Testing & Services Inc. AM Testing & Services Inc.'s responsibility is limited to proven negligence and will in no case be more than the amount of the testing fees. Except by special arrangement, samples are not retained by AM Testing & Services Inc. for more than 30 days, and are the property of AM Testing & Services Inc. The results shown on this test report refer only to the sample(s) tested unless otherwise stated, under the conditions agreed upon. Anyone relying on this report should understand all of the details of the engagement. The name, seals, marks nor insignia of AM Testing & Services Inc. may not be used in any advertising or promotional materials without the prior written approval of AM Testing & Services Inc. The test report cannot be reproduced, except in full, without prior written permission of AM Testing & Services Inc.



9.3.1	Statements similar to the following:			
	The child should be secured in the high chair at all times by the restraining system.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	The tray is not designed to hold the child in the chair.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	It is recommended that the high chair be used only by children capable of sitting upright unassisted.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
9.3.2	Reclining feature statements:			
	The child should be secured in the high chair at all times by the restraining system, either in the reclining or upright position.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	The tray is not designed to hold the child in the chair.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	It is recommended that the high chair be used in the upright position only by children capable of sitting upright unassisted.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
9.4	Warnings in the instructions meet requirements of ANSI Z535.4	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
9.5	Instructions shall not contradict or confuse	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Model in complete compliance with standard?  Yes  No

**Notes:**

**Item 2:** Results for CPSIA Section 101 & 16 CFR 1303, Total Lead in Paints and Surface Coatings  
 Test Method: CPSC-CH-E1003-09.1  
 Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

CPSIA Section 101 & 16 CFR 1303		
Analyte		Lead (Pb)
Limit (mg/kg)		90
Sample No.	Sample Type	Results (mg/kg)
1	Coating	BDL
2	Coating	BDL
3	Coating	BDL

BDL = <10ppm

ppm = parts per million = mg/kg = milligrams per kilogram

This report is issued by AM Testing & Services Inc. AM Testing & Services Inc.'s responsibility is limited to proven negligence and will in no case be more than the amount of the testing fees. Except by special arrangement, samples are not retained by AM Testing & Services Inc. for more than 30 days, and are the property of AM Testing & Services Inc. The results shown on this test report refer only to the sample(s) tested unless otherwise stated, under the conditions agreed upon. Anyone relying on this report should understand all of the details of the engagement. The name, seals, marks nor insignia of AM Testing & Services Inc. may not be used in any advertising or promotional materials without the prior written approval of AM Testing & Services Inc. The test report cannot be reproduced, except in full, without prior written permission of AM Testing & Services Inc.

**AM Testing & Services**

1405 Centre Circle Drive • Downers Grove, IL 60515 • Telephone: 708-907-5252 • AMTestinginc.com



**Item 3:** Results for CPSIA Section 101 & 15 USC 1278a, Total Lead in Substrate Materials  
 Test Method: CPSC-CH-E1002-08.3 & CPSC-CH-E1001-08.3  
 Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

CPSIA Section 101 & 15 USC 1278a		
Analyte		Lead (Pb)
Limit (mg/kg)		100
Sample No.	Sample Type	Results (mg/kg)
4	Nonmetal	BDL
5	Nonmetal	BDL
6	Nonmetal	BDL
7	Nonmetal	BDL
8	Nonmetal	BDL
9	Nonmetal	BDL
10	Nonmetal	BDL
11	Metal	BDL
12	Metal	BDL
13	Metal	BDL
14	Metal	BDL
15	Metal	BDL
16	Metal	BDL
17	Nonmetal	28.32
18	Nonmetal	BDL
19	Metal	45.11
20	Metal	BDL
21	Metal	BDL
22	Metal	BDL
23	Metal	BDL
24	Nonmetal	BDL

BDL = <10ppm

ppm = parts per million = mg/kg = milligrams per kilogram

This report is issued by AM Testing & Services Inc. AM Testing & Services Inc.'s responsibility is limited to proven negligence and will in no case be more than the amount of the testing fees. Except by special arrangement, samples are not retained by AM Testing & Services Inc. for more than 30 days, and are the property of AM Testing & Services Inc. The results shown on this test report refer only to the sample(s) tested unless otherwise stated, under the conditions agreed upon. Anyone relying on this report should understand all of the details of the engagement. The name, seals, marks nor insignia of AM Testing & Services Inc. may not be used in any advertising or promotional materials without the prior written approval of AM Testing & Services Inc. The test report cannot be reproduced, except in full, without prior written permission of AM Testing & Services Inc.

**AM Testing & Services**

1405 Centre Circle Drive • Downers Grove, IL 60515 • Telephone: 708-907-5252 • AMTestinginc.com



**Item 4:** Results for Washington / Maine, Phthalate  
 Test Method: CPSC-CH-C1001-09.3 & CPSC-CH-C1001-09.4  
 Analytical Method: Gas Chromatography with Mass Spectrometry

Washington / Maine: Phthalate	
Phthalate	DEP
Limit (mg/kg)	1000
Sample No.	Results (mg/kg)
1	ND
2	ND
3	ND
4	ND
5	ND
6	ND
7	ND
8	ND
9	ND
10	ND
17	ND
18	ND
24	ND

ND = <100 mg/kg for phthalates

ppm = parts per million = mg/kg = milligrams per kilogram

This report is issued by AM Testing & Services Inc. AM Testing & Services Inc.'s responsibility is limited to proven negligence and will in no case be more than the amount of the testing fees. Except by special arrangement, samples are not retained by AM Testing & Services Inc. for more than 30 days, and are the property of AM Testing & Services Inc. The results shown on this test report refer only to the sample(s) tested unless otherwise stated, under the conditions agreed upon. Anyone relying on this report should understand all of the details of the engagement. The name, seals, marks nor insignia of AM Testing & Services Inc. may not be used in any advertising or promotional materials without the prior written approval of AM Testing & Services Inc. The test report cannot be reproduced, except in full, without prior written permission of AM Testing & Services Inc.

**AM Testing & Services**

1405 Centre Circle Drive • Downers Grove, IL 60515 • Telephone: 708-907-5252 • AMTestinginc.com



**Item 5:** Results for California Prop.65, Total Lead and Cadmium  
 Test Method: CPSC-CH-E1003-09.1, CPSC-CH-E1002-08.3 & CPSC-CH-E1001-08.3  
 Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

California Prop. 65: Total Lead and Cadmium		
Analyte	Lead (Pb)	Cadmium (Cd)
Limit (mg/kg)	90	75
Sample No.	Results (mg/kg)	
1	BDL	BDL
2	BDL	BDL
3	BDL	BDL
4	BDL	BDL
5	BDL	BDL
6	BDL	BDL
7	BDL	BDL
8	BDL	BDL
9	BDL	BDL
10	BDL	BDL
11	BDL	BDL
12	BDL	BDL
13	BDL	BDL
14	BDL	BDL
15	BDL	BDL
16	BDL	BDL
17	28.32	BDL
18	BDL	BDL
19	45.11	BDL
20	BDL	BDL
21	BDL	BDL
22	BDL	BDL
23	BDL	BDL
24	BDL	BDL

BDL = <10ppm

ppm = parts per million = mg/kg = milligrams per kilogram

**This data is for informational purposes only.**

This report is issued by AM Testing & Services Inc. AM Testing & Services Inc.'s responsibility is limited to proven negligence and will in no case be more than the amount of the testing fees. Except by special arrangement, samples are not retained by AM Testing & Services Inc. for more than 30 days, and are the property of AM Testing & Services Inc. The results shown on this test report refer only to the sample(s) tested unless otherwise stated, under the conditions agreed upon. Anyone relying on this report should understand all of the details of the engagement. The name, seals, marks nor insignia of AM Testing & Services Inc. may not be used in any advertising or promotional materials without the prior written approval of AM Testing & Services Inc. The test report cannot be reproduced, except in full, without prior written permission of AM Testing & Services Inc.

**AM Testing & Services**

1405 Centre Circle Drive • Downers Grove, IL 60515 • Telephone: 708-907-5252 • AMTestinginc.com



**Item 6:** Results for California Prop. 65, Phthalates  
 Test Method: CPSC-CH-C1001-09.3 & CPSC-CH-C1001-09.4  
 Analytical Method: Gas Chromatography with Mass Spectrometry

California Prop. 65: Phthalates							
Phthalate	DEHP	DBP	BBP	DINP	DIDP	DnHP	BPA
Limit (mg/kg)	1000	1000	1000	1000	1000	1000	-
Sample No.	Results (mg/kg)						
1	ND	ND	ND	ND	ND	ND	1,181
2	ND	ND	ND	ND	ND	ND	313.0
3	ND	ND	ND	ND	ND	ND	313.0
4	ND	ND	ND	ND	ND	ND	BRL
5	ND	ND	ND	ND	ND	ND	BRL
6	ND	ND	ND	ND	ND	ND	BRL
7	ND	ND	ND	ND	ND	ND	BRL
8	ND	ND	ND	ND	ND	ND	BRL
9	ND	ND	ND	ND	ND	ND	BRL
10	ND	ND	ND	ND	ND	ND	BRL
17	ND	ND	ND	ND	ND	ND	BRL
18	ND	ND	ND	ND	ND	ND	BRL
24	ND	ND	ND	ND	ND	ND	BRL

ND = <100 mg/kg for phthalates

BRL = < 10 mg/kg for BPA

ppm = parts per million = mg/kg = milligrams per kilogram

**This data is for informational purposes only.**

This report is issued by AM Testing & Services Inc. AM Testing & Services Inc.'s responsibility is limited to proven negligence and will in no case be more than the amount of the testing fees. Except by special arrangement, samples are not retained by AM Testing & Services Inc. for more than 30 days, and are the property of AM Testing & Services Inc. The results shown on this test report refer only to the sample(s) tested unless otherwise stated, under the conditions agreed upon. Anyone relying on this report should understand all of the details of the engagement. The name, seals, marks nor insignia of AM Testing & Services Inc. may not be used in any advertising or promotional materials without the prior written approval of AM Testing & Services Inc. The test report cannot be reproduced, except in full, without prior written permission of AM Testing & Services Inc.

**AM Testing & Services**

1405 Centre Circle Drive • Downers Grove, IL 60515 • Telephone: 708-907-5252 • AMTestinginc.com



**Item 7:** Results for testing according to **CPSIA Section 103** are listed below

Tracking label found on the packaging:

Requirement	Pass	Fail
Identification of Manufacturer or Private Labeler	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Location of Production of Product (Name of the country, <i>and</i> city, state or administrative region, as appropriate)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Date of Production of Product	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Cohort Information (including batch, run number or other identifying characteristic)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	<input type="checkbox"/> Unable to ascertain	
Label Permanency	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Legible	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Tracking label found on the product:

Requirement	Pass	Unable to ascertain
Identification of Manufacturer or Private Labeler	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Location of Production of Product (Name of the country, <i>and</i> city, state or administrative region, as appropriate)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Date of Production of Product	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Cohort Information (including batch, run number or other identifying characteristic)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Label Permanency	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Legible	<input checked="" type="checkbox"/>	<input type="checkbox"/>

This report is issued by AM Testing & Services Inc. AM Testing & Services Inc.'s responsibility is limited to proven negligence and will in no case be more than the amount of the testing fees. Except by special arrangement, samples are not retained by AM Testing & Services Inc. for more than 30 days, and are the property of AM Testing & Services Inc. The results shown on this test report refer only to the sample(s) tested unless otherwise stated, under the conditions agreed upon. Anyone relying on this report should understand all of the details of the engagement. The name, seals, marks nor insignia of AM Testing & Services Inc. may not be used in any advertising or promotional materials without the prior written approval of AM Testing & Services Inc. The test report cannot be reproduced, except in full, without prior written permission of AM Testing & Services Inc.

**Label Review: Country of Origin Marking 19 CFR 134**

	<p>Notes: Made in Spain</p>
-----------------------------------------------------------------------------------	-----------------------------

**Item 8:** Results for testing according to **16 CFR 1130 Consumer Registration of Durable Infant or Toddler Products** are listed below

P = Pass

F = Fail

N/A = Not Applicable

		P	F	N/A
<b>1130.3</b>	<b>General Requirements</b>			
a.1	Postage paid registration card	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
a.2	Maintain consumer product information	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
a.3	Permanent manufacturer name and contact information	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
b	Use of information	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>1130.4</b>	<b>Identification on a Product</b>			
a	Permanent product information	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
b	English, legible, conspicuous	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>1130.5</b>	<b>Requirements for Registration</b>			
a	Comply with test/ format	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
b	English language	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
c	Attached to product	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
d	Product information	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
e	Internet registration	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
f	Information usage statement	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>1130.6</b>	<b>Requirements for Format</b>			
a	Size of form – both portions min. 3 ½ x 5”	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
b.1	Layout of form – need to have a perforation	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
b.2	Font size and typeface	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
c.1	Top front of form	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
c.2	Bottom front of form	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
d.1.i	Product info and manufacturer’s ID	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
d.1.ii	Retention statement	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
d.2.i	Consumer information – the block must be 5mm wide and 7mm high	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
d.2.ii	Product information	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>1130.7</b>	<b>Requirements for Website Registration</b>			
a	Link to registration page	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
b	Purpose statement	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

This report is issued by AM Testing & Services Inc. AM Testing & Services Inc.’s responsibility is limited to proven negligence and will in no case be more than the amount of the testing fees. Except by special arrangement, samples are not retained by AM Testing & Services Inc. for more than 30 days, and are the property of AM Testing & Services Inc. The results shown on this test report refer only to the sample(s) tested unless otherwise stated, under the conditions agreed upon. Anyone relying on this report should understand all of the details of the engagement. The name, seals, marks nor insignia of AM Testing & Services Inc. may not be used in any advertising or promotional materials without the prior written approval of AM Testing & Services Inc. The test report cannot be reproduced, except in full, without prior written permission of AM Testing & Services Inc.



c	Content of registration page	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
d	Alternative without website	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<b>1130.8</b>	<b>Record Keeping</b>			
a	Maintenance of records	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
b	Usage of records	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
c	Maintain records	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
d	Availability of records	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
e	Optional barcode	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Model in complete compliance with standard?  Yes  No

**Notes:**

**Item 9:** Results for FDA Food Simulating Solvent Extraction testing are listed below

21 CFR 177 Indirect Food Additives: Polymers			
21 CFR 177.1520 Olefin Polymers (Polypropylene)			
Food Simulating Solvent	n-Hexane Maximum Extractable Fraction	Xylene Maximum Soluble Fraction	Rating
Limit (%)	6.4	9.8	
Sample No.	Results (%)		
White plastic round tray	<0.1%	8.6%	PASS

This report is issued by AM Testing & Services Inc. AM Testing & Services Inc.'s responsibility is limited to proven negligence and will in no case be more than the amount of the testing fees. Except by special arrangement, samples are not retained by AM Testing & Services Inc. for more than 30 days, and are the property of AM Testing & Services Inc. The results shown on this test report refer only to the sample(s) tested unless otherwise stated, under the conditions agreed upon. Anyone relying on this report should understand all of the details of the engagement. The name, seals, marks nor insignia of AM Testing & Services Inc. may not be used in any advertising or promotional materials without the prior written approval of AM Testing & Services Inc. The test report cannot be reproduced, except in full, without prior written permission of AM Testing & Services Inc.

**AM Testing & Services**

**SAMPLE PHOTOS:**




This report is issued by AM Testing & Services Inc. AM Testing & Services Inc.'s responsibility is limited to proven negligence and will in no case be more than the amount of the testing fees. Except by special arrangement, samples are not retained by AM Testing & Services Inc. for more than 30 days, and are the property of AM Testing & Services Inc. The results shown on this test report refer only to the sample(s) tested unless otherwise stated, under the conditions agreed upon. Anyone relying on this report should understand all of the details of the engagement. The name, seals, marks nor insignia of AM Testing & Services Inc. may not be used in any advertising or promotional materials without the prior written approval of AM Testing & Services Inc. The test report cannot be reproduced, except in full, without prior written permission of AM Testing & Services Inc.

**AM Testing & Services**

1405 Centre Circle Drive • Downers Grove, IL 60515 • Telephone: 708-907-5252 • [AMTestinginc.com](http://AMTestinginc.com)

Page 14 of 20

2/25/2021 Rev. 1 Reg Card



This report is issued by AM Testing & Services Inc. AM Testing & Services Inc.'s responsibility is limited to proven negligence and will in no case be more than the amount of the testing fees. Except by special arrangement, samples are not retained by AM Testing & Services Inc. for more than 30 days, and are the property of AM Testing & Services Inc. The results shown on this test report refer only to the sample(s) tested unless otherwise stated, under the conditions agreed upon. Anyone relying on this report should understand all of the details of the engagement. The name, seals, marks nor insignia of AM Testing & Services Inc. may not be used in any advertising or promotional materials without the prior written approval of AM Testing & Services Inc. The test report cannot be reproduced, except in full, without prior written permission of AM Testing & Services Inc.

**AM Testing & Services**

1405 Centre Circle Drive • Downers Grove, IL 60515 • Telephone: 708-907-5252 • AMTestinginc.com

Page 15 of 20

2/25/2021 Rev. 1 Reg Card

*DESCRIPCIÓN / DESCRIPTION*

**(es) TRONA OVO MAX ORIGINAL ONE BLANCO PERLA/NATURAL POLIPIEL BEIG**

**(en-gb) OVO ORIGINAL MAX ONE LUXE HIGH CHAIR WHITE/BEECHWOOD/BEIGE LEATHERETTE**

*CÓDIGO / CODE*

OVO MAX ORIGINAL ONE - 10272 - v02

DATE: 12 2019

P19013579L02412109

THE EUROBABY CO:  
151 Park Avenue  
Randolph NJ 07869  
USA  
Phone: 908.969.8150  
E-mail: info@micunausa.com  
MADE IN VALENCIA. (SPAIN)

**micuna**  
magic ideas for children



SKU: P19013579

*DESCRIPCIÓN / DESCRIPTION / ОПИСАНИЕ*

**(es) TRONA OVO MAX ORIGINAL ONE BLANCO PERLA/NATURAL POLIPIEL BEIG**

**(en-gb) OVO ORIGINAL MAX ONE LUXE HIGH CHAIR WHITE/BEECHWOOD/BEIGE LEATHERETTE**

**(fr) TRONA OVO MAX ORIGINAL ONE BLANCO PERLA/NATURAL POLIPIEL**

**(ru) TRONA OVO MAX ORIGINAL ONE BLANCO PERLA/NATURAL POLIPIEL**

*CÓDIGO / CODE / CODE / КОД*

OVO MAX ORIGINAL ONE - 10272 - V02

*CALIDAD / QUALITY / QUALITE / КАЧЕСТВО*

P19013579L02412109

*UNIDAD / UNIT / UNITE / ЕДИН*

1

*EAN*

8 431830 190272




2100000499847

MADE IN SPAIN

This report is issued by AM Testing & Services Inc. AM Testing & Services Inc.'s responsibility is limited to proven negligence and will in no case be more than the amount of the testing fees. Except by special arrangement, samples are not retained by AM Testing & Services Inc. for more than 30 days, and are the property of AM Testing & Services Inc. The results shown on this test report refer only to the sample(s) tested unless otherwise stated, under the conditions agreed upon. Anyone relying on this report should understand all of the details of the engagement. The name, seals, marks nor insignia of AM Testing & Services Inc. may not be used in any advertising or promotional materials without the prior written approval of AM Testing & Services Inc. The test report cannot be reproduced, except in full, without prior written permission of AM Testing & Services Inc.



This report is issued by AM Testing & Services Inc. AM Testing & Services Inc.'s responsibility is limited to proven negligence and will in no case be more than the amount of the testing fees. Except by special arrangement, samples are not retained by AM Testing & Services Inc. for more than 30 days, and are the property of AM Testing & Services Inc. The results shown on this test report refer only to the sample(s) tested unless otherwise stated, under the conditions agreed upon. Anyone relying on this report should understand all of the details of the engagement. The name, seals, marks nor insignia of AM Testing & Services Inc. may not be used in any advertising or promotional materials without the prior written approval of AM Testing & Services Inc. The test report cannot be reproduced, except in full, without prior written permission of AM Testing & Services Inc.



This report is issued by AM Testing & Services Inc. AM Testing & Services Inc.'s responsibility is limited to proven negligence and will in no case be more than the amount of the testing fees. Except by special arrangement, samples are not retained by AM Testing & Services Inc. for more than 30 days, and are the property of AM Testing & Services Inc. The results shown on this test report refer only to the sample(s) tested unless otherwise stated, under the conditions agreed upon. Anyone relying on this report should understand all of the details of the engagement. The name, seals, marks nor insignia of AM Testing & Services Inc. may not be used in any advertising or promotional materials without the prior written approval of AM Testing & Services Inc. The test report cannot be reproduced, except in full, without prior written permission of AM Testing & Services Inc.

**AM Testing & Services**

1405 Centre Circle Drive • Downers Grove, IL 60515 • Telephone: 708-907-5252 • [AMTestinginc.com](http://AMTestinginc.com)





**\*\*\* END OF REPORT \*\*\***

This report is issued by AM Testing & Services Inc. AM Testing & Services Inc.'s responsibility is limited to proven negligence and will in no case be more than the amount of the testing fees. Except by special arrangement, samples are not retained by AM Testing & Services Inc. for more than 30 days, and are the property of AM Testing & Services Inc. The results shown on this test report refer only to the sample(s) tested unless otherwise stated, under the conditions agreed upon. Anyone relying on this report should understand all of the details of the engagement. The name, seals, marks nor insignia of AM Testing & Services Inc. may not be used in any advertising or promotional materials without the prior written approval of AM Testing & Services Inc. The test report cannot be reproduced, except in full, without prior written permission of AM Testing & Services Inc.

**AM Testing & Services**

1405 Centre Circle Drive • Downers Grove, IL 60515 • Telephone: 708-907-5252 • [AMTestinginc.com](http://AMTestinginc.com)

Page 20 of 20

2/25/2021 Rev. 1 Reg Card